

ELECTRIC ULTIMATE ACCESS V

TAB-TENSIONED, CEILING-RECESSED



UT Southwestern Medical Center, Dallas, TX., Dealer: Summit Integration Systems.,
Photography by: Matt Oberer of MattO Photo, Albuquerque, NM.

Smooth, clean design make the Ultimate Access V ideal for boardrooms, mid-sized training rooms, universities, or home theaters. Retracted, the projection screen completely conceals behind a smooth, lower panel in the ceiling with no exposed screw heads or fasteners. During use, a second motor opens the lower panel upward into the case to allow the screen to descend into the room. Installation of the case during the initial phase of construction eliminates job site damage allowing for installation of the screen at a later time.

Tab-tensioned screens provide a perfectly flat viewing surface with better image quality. RF welded tabs eliminate stickiness and tab separation. Tabs warranted against separation for five years.

FEATURES

- Image area fully framed with black. Standard 12" black drop at top of viewing area.
- Adjustable or removable hoisting brackets included for easy lifting during installation.
- Sliding brackets on top of the case allow for adjustments for mounting.
- Sliding brackets inside case accommodate different size screens.
- Bottom closure panel detachable or hangs in place with "T" bracket to provide accessibility for service or maintenance.
- Fully automatic ceiling closure panel provides complete screen concealment. Can be finished by contractor to match ceiling.
- Independently motorized ceiling closure opens into the case.
- Includes a 110V three-position switch (standard).



- Quick-connect wiring allows for early installation of the case with the addition of the screen later.
- **WARRANTY:** One year against defects in materials and workmanship.

OPTIONS

- **Quiet, low voltage motors** and 220V options available.
- **Control options:** Low voltage, video interface or other controls can be built into housing for below ceiling access.
- **Viewing Surfaces:** TecVision®, OptiFlex™ (tensioned), CineFlex™ (rear projection) families.
- White case standard, black available upon request.

SUPPORTING DOCUMENTS

All instructions, technical drawings and other supporting documents are located at: draperinc.com/Documents.aspx

SIZES

- **Case dimensions** 9 7/8" high x 8" deep (25 cm x 20 cm) includes trim flange. Built-in controls may increase case length.
- **Maximum image width** up to 12' (366 cm) wide, depending on surface selection.
- 16:10 FORMAT: from 94" (239 cm) to 165" (419 cm) diagonal.
- 16:9 HDTV FORMAT: from 92" (234 cm) to 161" (409 cm) diagonal.
- 4:3 NTSC/PAL FORMAT: 72" (183 cm) to 180" (457 cm) diagonal.
- AV FORMAT: from 50" x 50" (127 cm x 127 cm) to 12' x 12' (366 cm x 366 cm).
- Custom sizes available: For larger sizes see the Ultimate Access XL E.

For more information on this product visit: projectionscreens/electricscreens.aspx