

MANUAL ONWALL







AUDIOVECTOR ONWALL

INSTRUCTION MANUAL

Thank you for purchasing Audiovector OnWall speakers. Audiovector's series of OnWall speakers include some truly innovative technology, which makes it possible to emulate the sound of freestanding high-end speakers despite the OnWalls being positioned on a wall. Audiovector's proprietary DCS-concept (Diffraction Cancellation System) eliminates unwanted distortion from reflected from the walls around the speakers. The cabinets are constructed from combination of aerospace grade aluminum and NRFB wood material to form an inert entity, eliminating materials distortion. The result is a very high-quality performance level from compact wall speakers.

1. THE ONWALL SERIES

The OnWall series consists of 3 models - Signature, Avantgarde and Arreté. Some of the models include our DCS-Diffraction Cancellation System, which reduces unwanted reflection from the wall around the speakers dramatically. The result is a very clean and spacious sound - almost as if the speakers were positioned away from the rear wall. The generous use of solid aluminum on some models and an enclosure, which is angled, of solid constrcution and well damped, ensures – for perhaps the first time – audiophile sound quality from compact onwall speakers.

2. FUTURE PROOF AND UPGRADABLE

The Audiovector OnWall speakers are future proof and upgradable whenever you should wish to do so. Consult your dealer for more specific information.

3. APPLICATION

The three Audiovector OnWall models can be used as rear speakers in a surround system based on Audiovector R-series. They can also be used as additional speakers for secondary rooms - Or as serious high-end speakers for stereo listening. This could be possibly supplemented by a subwoofer for leaner sounding rooms (perhaps not necessary but nonetheless an additional bonus to performance).

And last, but not least, in a 5.1 surround sound system with the front speakers discretely hidden adjacent to a flat screen.

4. INSTALLATION INSTRUCTIONS [see page 2]

We recommend that the speakers are placed at ear level for the best results. They are easy to install. All that is needed is two correctly dimensioned screws and a speaker high quality cable. The rear of the cabinet has channels for cables. Place the four felt pads at each bottom corner in order to prevent unwanted vibration against the wall.

Caution! For safety reasons, if you are unsure of your ability to provide a secure and safe fixing, please obtain the services of a competent person.

5. MAINTENANCE

If you wish to clean your speakers, please use the microfiber cloth included. Do not use solvents. In order to maintain optimum sound quality, please remove the cable from the speakers every 3 months and clean the connectors with a piece of soft cotton with a little alcohol (or similar).

6. WARRANTY

Audiovector passive loudspeakers are subject to a 5-year factory warranty, which covers all parts. Transportation cost is not included. Please note that unauthorized opening or repair of your speakers will invalidate the warranty. We wish you many hours of enjoyment with your new Audiovector speakers.

Please direct all warranty and/or service issues to F3/AUDIOVECTOR ApS Mileparken 22A DK-2740 Skovlunde, Denmark Tel +45 35396060 info@audiovector.com















Handmade in Denmark since 1979







